




## Haweke 商品リスト 2025 Ver.1.0

| Part No.                                                                            |             | Description                                                                                           |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------|
| Mid centering device / Adaptors Kit                                                 |             |                                                                                                       |
|    | 100e818 047 | Basic centering device conical Tr40x4 covered spring, 240 mm usable length                            |
|    | 100e818 061 | Basic centering device conical Tr40x3 covered spring, 240 mm usable length                            |
|    | 104 818 038 | Mid centering device Tr40x3, 3 cones, ProGrip, 200 mm usable length                                   |
|    | 104 818 131 | Mid centering device Tr40x4, 3 cones, ProGrip, 240 mm usable length                                   |
|   | 104 818 132 | Mid centering device Tr40x3, 3 cones, SoftGrip, 240 mm usable length                                  |
|  | 105 447 006 | QuickHub Mid centering device Tr40x3, SoftGrip Bright                                                 |
|  | 105 589 006 | QuickHub Mid centering device Tr40x3, SoftGrip <b>pneumatic:</b> Cemb Ø40 / Hofmann Megaplan / TipTop |
|  | 105 589 007 | QuickHub Mid centering device Tr40x3, SoftGrip Cemb Ø40 / Hofmann Megaplan / TipTop                   |
|  | 105 618 006 | QuickHub Mid centering device Tr40x3, SoftGrip Hunter GSP / DSP Serie                                 |
|  | 105 818 006 | QuickHub Mid centering device Tr40x3, SoftGrip for balancers with conical interface                   |
|  | 105 907 006 | QuickHub Mid centering device Tr40x3, SoftGrip Corghi Ø40 PN+Standard                                 |
|  | 105 957 005 | QuickHub Mid centering device Tr40x3, SoftGrip JBC, Hofmann with cylindrical connection >= 2014       |
|  | 100e008 036 | QuickHub Additional attachments (6 pcs./set) no.4 (147,9 - 171,5 mm)                                  |
|  | 100e008 037 | QuickHub Additional attachments (6 pcs./set) no.3 (123,5 - 147,1 mm)                                  |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                                                        |
|-------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------|
|                                                                                     |             | <b>ProGrip Kit and Adaptor Sets</b>                                                                                |
|    | 124 283 000 | ProGrip kit Tr 28,55x3 Includes<br>143 283 003 / 190 008 002 / 190 008 005                                         |
|    | 124 283 001 | ProGrip kit Tr 28.55x3 Includes<br>143 283 006 / 190 008 002 / 190 008 005                                         |
|    | 124 363 000 | ProGrip kit Tr 36x3 Includes<br>143 363 003 / 190 008 002 / 190 008 005                                            |
|    | 124 383 000 | ProGrip kit Tr 38x3 Includes<br>143 383 003 / 190 008 002 / 190 008 005                                            |
|   | 124 403 000 | ProGrip kit Tr40x3 Includes<br>143 403 003 / 190 008 002 / 190 008 005                                             |
|  | 124 405 000 | ProGrip kit Tr40x4 Includes<br>143 405 003 / 190 008 002 / 190 008 005                                             |
|  | 124 408 005 | ProGrip Kit Tr 40x8,46 Includes<br>140 408 033 / 190 008 002 / 190 008 005                                         |
|  | 124 589 030 | Adaptor set Cemb & TipTop Tr40x4 Shaft, 3 cones, ProGrip Kit                                                       |
|  | 124 627 037 | Adaptor set Fasep / RAV 3 cones, ProGrip Kit, Shaft, Tr 40x3 (w/o 190 008 005)                                     |
|  | 124 907 032 | Adaptor set Corgi / Sice / Faip Tr38x3. Shaft<br>3 Cones, ProGrip Kit                                              |
|  | 124 907 231 | Adapter-Set, Mondolfo, Corgi, HPA, Tr40x3 Shaft,<br>ProGrip Kit, 3 Cones, clamping hood                            |
|  | 124 957 033 | Adaptor set Balco/Haweke Tr40x3 shaft, ProGrip Kit, 3 cones                                                        |
|  | 124 958 036 | Adaptor set John Bean/Hofmann (> 2014) serie 9000, Tr 40x3 Shaft, ProGrip<br>Kit, 3 cones (28,55 Shaft connection) |
|  | 125 447 000 | Adapter set Bright / Cormach Tr 40x4, 3 cones, SoftGrip Kit                                                        |

## HAWEKA 商品リスト 2025 Ver.1.0

| Part No.                                                                            |             | Description                                                                                     |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------|
| <b>Quick nuts / Accessories</b>                                                     |             |                                                                                                 |
| <b>Quick nuts SoftGrip Sets</b>                                                     |             |                                                                                                 |
|    | 125 403 000 | SoftGrip kit Tr40x3 Includes SoftGrip 144 403 000 and 190 008 065 / 190 008 005                 |
|    | 125 404 000 | (Residual sale) SoftGrip kit Tr40x4 Includes SoftGrip 144 404 000 and 190 008 065 / 190 008 005 |
|    | 125 405 000 | SoftGrip kit Tr40x4 Includes SoftGrip 144 405 000 and 190 008 065 / 190 008 005                 |
|    | 125 408 000 | SoftGrip kit Tr 40x8,46 P2 Includes SoftGrip 144 408 000 and 190 008 065 / 190 008 005          |
| <b>Quick nuts (Version: steel)</b>                                                  |             |                                                                                                 |
|    | 140 403 033 | Quick nut Tr 40 x 3 mm                                                                          |
|   | 140 405 033 | Quick nut Tr 40 x 4 mm                                                                          |
|  | 140 408 033 | Quick nut Tr 40 x 8.46 mm                                                                       |
|  | 140 466 003 | Quick nut Tr 46 x 6 mm Corgi Lkw                                                                |
| <b>ProGrip quick nuts (Version: polyamide)</b>                                      |             |                                                                                                 |
|  | 143 283 003 | ProGrip Tr 28,575 x 3 mm                                                                        |
|  | 143 283 006 | ProGrip Tr 28,575 x 3 mm, with turning Handles                                                  |
|  | 143 285 003 | ProGrip Tr 28,575 x 3,5 mm                                                                      |
|  | 143 285 006 | ProGrip Tr 28,575 x 3,5 mm, with turning handles                                                |
|  | 143 363 003 | ProGrip Tr 36 x 3 mm                                                                            |
|  | 143 363 006 | ProGrip Tr 36 x 3 mm, with turning handles                                                      |
|  | 143 383 003 | ProGrip Tr 38 x 3 mm                                                                            |
|  | 143 383 006 | ProGrip Tr 38 x 3 mm, with turning handles                                                      |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                 |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------|
|    | 143 403 003 | ProGrip Tr 40 x 3 mm                                                        |
|    | 143 403 006 | ProGrip Tr 40 x 3 mm, with turning handles                                  |
|    | 143 405 003 | ProGrip Tr 40 x 4 mm                                                        |
|    | 143 405 006 | ProGrip Tr 40 x 4 mm with turning handles                                   |
|    | 143 408 003 | ProGrip Tr 40 x 8,46 mm Hunter Serie 9200                                   |
|                                                                                     |             | <b>SoftGrip quick nuts</b>                                                  |
|    | 144 403 000 | SoftGrip Tr 40 x 3 mm                                                       |
|   | 144 403 001 | SoftGrip Tr 40 x 3 mm, with turning handles                                 |
|  | 144 404 000 | (Residual sale) SoftGrip Tr 40 x 4 mm (Haweke)                              |
|  | 144 404 001 | (Residual sale) SoftGrip Tr 40 x 4 mm with turning handles (Haweke)         |
|  | 144 405 000 | SoftGrip Tr 40 x 4 mm                                                       |
|  | 144 405 001 | SoftGrip Tr 40 x 4 mm with turning handles                                  |
|  | 144 408 000 | SoftGrip Tr 40 x 8,46 mm Hunter Serie 9200                                  |
|  | 144 408 001 | SoftGrip Tr 40 x 8,46 mm Hunter Serie 9200 with turning handles             |
|                                                                                     |             | <b>Cones</b>                                                                |
|                                                                                     |             | Enter diameter of the balancer shaft as 4th and 5th number (28, 36, 38, 40) |
|  | 150 xx0 008 | Centering cone Ø40 = 44 - 59,7 mm                                           |
|  | 150 xx0 009 | Centering cone 54 - 79,7 mm                                                 |
|  | 150 xx0 012 | Centering cone 74 - 111,5 mm                                                |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | <i>Part No.</i> | <i>Description</i>                                                         |
|-------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------|
|    | 150 xx0 022     | Centering cone 168,5 - 194,5 mm                                            |
|    | 150 xx0 024     | Centering cone 198 - 225 mm /<br>only with Plastic Spacer disc 190 xx0 042 |
|    | 150 xx0 025     | Centering cone for trucks 279 - 286,5 mm                                   |
|    | 150 xx0 026     | Set of light truck cones 95 - 174 mm (043 / 049 / 190 xx0 018)             |
|    | 150 xx0 043     | Centering cone 122 - 174 mm                                                |
|  | 150 xx0 048     | Centering cone 68 - 98 mm >>> sale <<<                                     |
|  | 150 xx0 049     | Centering cone 95 - 132mm                                                  |
|  | 150 xx0 072     | Centering Cone 138-140,5 mm Ford Transit from 1995                         |
|  | 150 xx0 074     | Centering Cone 128-131,5 mm Iveco from 1997                                |
|  | 15U 400 082     | 7-Centering-cone-set 42,9 - 131,5 mm                                       |
|  | 150 xx0 085     | 3-Centering cone set 44-111,5 mm (008 / 009 / 012)                         |
|  | 150 xx0 091     | Centering Cone 122-174mm (043 / 190 xx0 018)                               |
|  | 150 xx0 092     | Centering Cone 100-118mm                                                   |
|  | 150 xx0 095     | 4-Cone-Set 44 - 111,5 mm                                                   |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                 |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------|
|    | 150 xx0 111 | Low-Taper Cone 52,5 - 62,0 mm # 1                                           |
|    | 150 xx0 112 | Low-Taper Cone 61,5 - 70,0 mm # 2                                           |
|    | 150 xx0 113 | Low-Taper Cone 67,5 - 76,0 mm # 3                                           |
|    | 150 xx0 114 | Low-Taper Cone 75,0 - 83,0 mm # 4                                           |
|    | 150 xx0 115 | Low-Taper Cone 82,0 - 90,5 mm # 5                                           |
|    | 150 xx0 116 | Low-Taper Cone 89,0 - 97,5 mm # 6                                           |
|   | 150 xx0 117 | Low-Taper Cone 94,0 - 103,0 mm # 7                                          |
|  | 150 xx0 118 | Low-Taper Cone 101,0 - 111,0 mm # 8                                         |
|  | 150 xx0 119 | Low-Taper Cone 110,0 - 122,0 mm # 9                                         |
|  | 150 xx0 110 | 9 Low-Taper cone-Kit 52,5 - 122 mm                                          |
|  | 150 xx0 121 | 8 Low-Taper cone-Kit 52,5-111 mm                                            |
|  | 150 xx0 130 | 5 Low-Taper cone-Kit 52,5 - 90,5 mm                                         |
|                                                                                     |             | <b>Centering sleeve</b>                                                     |
|                                                                                     |             | Enter diameter of the balancer shaft as 4th and 5th number (28, 36, 38, 40) |
|  | 160 xx0 004 | Centering sleeve 63,25 / 63,5 mm                                            |
|  | 160 xx0 006 | Centering sleeve 58 / 65 mm                                                 |
|  | 160 xx0 008 | Centering sleeve OPEL 56.5 / 65 mm                                          |
|  | 160 xx0 011 | Centering sleeve 55 / 60 / 65 mm                                            |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                   |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------|
|    | 160 xx0 012 | Centering sleeve 54 / 60 / 64 mm                                              |
|    | 160 xx0 017 | Centering sleeve General Motors USA<br>57 / 70 - 71 / 77,5 - 78,8 mm          |
|    | 160 xx0 041 | Centering sleeve TOYOTA<br>Ø 60 (58,7 - 62 mm) Ø 90 (93,3 - 97,5 mm)          |
|    | 160 xx0 048 | Centering sleeve Renault Master III / Trafic / Opel Movano<br>142 mm / 170 mm |
|    | 160 xx0 055 | Centering sleeve Renault / Dacia 58,5 - 61,5 / 66 / 71 mm                     |
|    | 160 xx0 056 | Centering sleeve Crafter / Sprinter 161 mm                                    |
|   | 160 xx0 059 | Centering sleeve 130 mm IVECO Daily / Renault Master II                       |
|  | 160 xx0 060 | Centering sleeve Ford/KIA/Hyundai 86.4-87.3 / 91-96 mm                        |
|  | 160 xx0 061 | Centering sleeve Land Rover 71,5 - 74,6 mm                                    |
|  | 160 xx0 062 | Centering sleeve Off Road 99-101.5 / 106 - 110.7 mm                           |
|  | 160 xx0 063 | Centering sleeve Off Road 66,5-67,5 / 71 - 72 mm                              |
|  | 160 xx0 064 | Centering sleeve Dodge / Chrysler 73.6 - 74.6 / 77 - 78.5 mm                  |
|  | 160 xx0 065 | Pressure piece Porsche rims ø71,58 + GT/TURBO ø84                             |
|  | 160 xx0 069 | Centering Sleeve BMW ø56-57/72,5-74mm                                         |
|  | 160 xx0 070 | Centering Sleeve 65 / 66,5 / 84 mm VW / Mercedes                              |
|  | 160 xx0 071 | Centering Sleeve 60 / 57 mm VW / Mercedes / Smart                             |
|  | 160 xx0 072 | Centering Sleeve BMW ø66,5mm (model from 2013)                                |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                  |
|-------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------|
|    | 160 xx0 073 | Centering Sleeve Renault Twizy ø60,1mm                       |
|    | 160 xx0 074 | Centering Sleeve Porsche ø71,58 + GT/TURBO ø84 + Macan       |
| <b>Wire Wheel Kits</b>                                                              |             |                                                              |
|    | 162 400 040 | Centering kit for spoke wheels with central locker, 40/52 mm |
|    | 162e400 001 | Cone for Aston Martin DB 6, Jaguar, Triumph, Austin Healy    |
|   | 162e400 002 | Centering ring, conical for Jaguar, Triumph, Austin Healy    |
|  | 162e400 003 | Centering ring, conical for Aston Martin DB 6, old Jaguar    |
| <b>DuoExpert</b>                                                                    |             |                                                              |
|  | 165 400 005 | DuoExpert serie III System. 3 collets in a case 54-78mm.     |
|  | 165 400 001 | DuoExpert collet I, 54-62 mm clamping range                  |
|  | 165 400 002 | DuoExpert collet II, 62-70 mm clamping range                 |
|  | 165 400 003 | DuoExpert collet III, 70-78 mm clamping range                |
|  | 165 400 006 | DuoExpert collet IV, 78-86 mm clamping range                 |
|  | 165 400 004 | DuoExpert collet V, 86-94 mm clamping range                  |



**HAWEKA 商品リスト 2025 Ver.1.0**

| <b>Part No.</b>                                                                     |             | <b>Description</b>                                                                            |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------|
| <b>Threaded Shafts</b>                                                              |             |                                                                                               |
|    | 170 589 001 | Threaded shaft Tr 40x4mm Cemb & TipTop 190 mm long with screw M10 >>> sale <<<                |
|    | 170 618 001 | Threaded shaft Tr 40x8,46 P2, 250 mm long, Hunter GSP/DSP 9200+GSP9720                        |
|    | 170 627 011 | Threaded shaft Tr 40x3 mm Fasep / RAV, 225 mm usable Length, Connection M22 x 1,5             |
|    | 170 907 007 | Threaded shaft Tr 40x3 Corgi / Faip / Sice / HPA / Mondolfo 181 mm long, with screw M15 x 1,5 |
|    | 170 958 006 | Threaded shaft Tr40x3 John Bean/Hofmann (> 2014) line 9000 300 mm long, connection M33 x 2    |
| <b>Clamping Hoods / Spacer Discs &amp; Springs</b>                                  |             |                                                                                               |
|                                                                                     |             | Enter diameter of the balancer shaft as 4th and 5th number (28, 36, 38, 40)                   |
|  | 190 008 002 | Clamping hood fits all ProGrip wing nuts                                                      |
|  | 190 008 005 | Rubber cap for clamping hood 190 008 002                                                      |
|  | 190 008 021 | Large diameter (Ø 220mm) clamping hood for alloy rims. Suits Haweka ProGrip wing nuts         |
|  | 190 400 021 | Large diameter (Ø 220mm) clamping hood for alloy rims. For shaft-Ø 40 mm                      |
|  | 190 008 027 | Pressure ring, fits all ProGrip wing nuts                                                     |
|  | 190 008 065 | Clamping hood fit only SoftGrip wing nuts                                                     |
|  | 190 400 015 | Spring, conical for open MCD, DuoExpert                                                       |
|  | 190 658 001 | Steel spacer Mondolfo                                                                         |
|  | 190 905 001 | Steel spacer Corgi                                                                            |
|  | 190 958 001 | Steel spacer John Bean/Hofmann (> 2014)                                                       |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | <i>Part No.</i> | <i>Description</i>                                                                                                                                                        |
|-------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 190 988 002     | Steel spacer Cemb / Haweka                                                                                                                                                |
|    | 190e008 047     | Distance ring (36mm) with magnets for Off-Road cone from the back incl. Pins                                                                                              |
|    | 190 008 062     | Distance ring (15mm) with magnets for Off-Road cone from the back incl. Pins                                                                                              |
|    | 190 xx0 010     | (Polyamid) Spacer DuoExpert                                                                                                                                               |
|    | 190 xx0 018     | Aluminium Spacer disc                                                                                                                                                     |
|   | 190exx0 045     | Polyamid spacer (donut) for Off-Road                                                                                                                                      |
| <b>Flange Plates WORLD KIT (Ø 11 mm)</b>                                            |                 |                                                                                                                                                                           |
| Enter diameter of the balancer shaft as 7th and 8th number (28, 36, 38, 40)         |                 |                                                                                                                                                                           |
|  | 200 018 xx5     | Set of 4 flange adaptors, professional set with 3 sets of studs, colour-coded, 1 wall board                                                                               |
|  | 203 018 xx5     | Set of 4 flange adaptors, professional set with 3 sets of studs, colour-coded, 1 wall board for Hofmann PC / JBC PC / Bosch P / Sicam P / Beisbarth P                     |
|  | 205 018 xx5     | Set of 4 flange adaptors, professional set with 3 sets of studs, colour-coded, 1 wall board for Cemb P / Hofmann Megaplan P / Corgi P / Mondolfo P / Tip Top Propalance P |
| <b>Flange Plates Series WORLD KIT II (Ø 11 mm)</b>                                  |                 |                                                                                                                                                                           |
|  | 241e901 xx9     | Flange Plate Adaptor ( <b>TSP No. 1</b> ), colour-coded, without studs 4x95,25/ 4x98/ 4x100/ 4x101,6/ 4x108/ 4x114,3/ 7x150/ 4x170 / 4x180                                |
|  | 251e801 xx9     | Flange Plate Adaptor ( <b>TSP No. 2</b> ), colour-coded, without studs 5x98/ 5x105/ 5x108/ 5x110/ 5x115/ 5x120,65/ 5x135/ 5x154,95                                        |
|  | 251e901 xx9     | Flange Plate adaptor ( <b>TSP No. 3</b> ) colour-coded, without studs 5x100/ 5x112/ 5x114,3/ 5x120/ 5x127/ 5x130/ 5x139,7/ 5x150/ 5x165,1                                 |
|  | 231e111 xx9     | Flange Plate Adaptor ( <b>TSP No. 4</b> ) Off Road, colour-coded, without studs 3x98/ 3x112/ 3x114,3/ 3x115/ 3x120/ 3x127/ 3x130/ 3x132,7/ 6x135/ 6x139,7/ 4x165.1        |

**HAWEKA 商品リスト 2025 Ver.1.0**

| <b>Part No.</b>                                                                     |             | <b>Description</b>                                                                                          |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------|
|                                                                                     |             | <b>Pneumatic Handles for WorldKit II and QuickPlate III+IV+v<br/>(Please order for automatic machines!)</b> |
|    | 163 008 012 | Handle for Hofmann / JBC / Sicam / Bosch / Beissbarth<br>Nussbaum / ATT / Corgi / Mondolfo                  |
|    | 163 589 008 | Handle for Cemb / Hofmann Megaplan / TipTop Probalance                                                      |
|    | 163 616 000 | Adapter for the handle Hunter P                                                                             |
|                                                                                     |             | <b>Studs for Flange Plates WORLD KIT (Ø 11 mm)</b>                                                          |
|    | 271 994 117 | Plug-in Stud "I" 100 mm long, Ø 19 mm                                                                       |
|    | 271 804 118 | Plug-In Stud "II" 80 mm long, short taper, Ø 24,5 mm                                                        |
|   | 271 904 119 | Plug-In Stud "III" 90 mm long, rounded head, Ø 24,5 mm                                                      |
|  | 271 804 121 | Plug-In Stud "IV" 80 mm long, Range/Land Rover, Ø 34 mm                                                     |
|  | 271 994 121 | Plug-In Stud "V" 100mm long, Ø 22,5 mm                                                                      |
|                                                                                     |             | <b>Special Studs Series WORLD KIT (Ø 11 mm)</b>                                                             |
|  | 271 124 102 | Plug-In Stud 120 mm long, rounded head, Ø 22,5 mm                                                           |
|  | 271 124 122 | Plug-In Stud "VI", 120 mm long, Ø 22,5 mm                                                                   |
|  | 271 994 308 | Plug-In Stud, spring-loaded, 100 mm long, short taper, Ø 24,5 mm                                            |
|  | 271 008 002 | O-rings for plug-in-stud (Ø 11 mm) (set of 5 pcs.)                                                          |
|                                                                                     |             | <b>Flange Plates STANDARD KIT (Ø 12 mm)</b>                                                                 |
|                                                                                     |             | <b>Flange Plates Series Light Truck<br/>w/o fixed studs</b>                                                 |
|                                                                                     |             | Enter diameter of the balancer shaft as 7th and 8th number<br>(28, 36, 38, 40)                              |
|  | 221e201 xx0 | Flange plate adaptor 5x160 / 6x180                                                                          |
|  | 231e403 xx2 | Flange plate adaptor 5x203.2 / 205 / 208 -- 6x184.15 / 222.25                                               |
|                                                                                     |             | <b>Fixed Studs for Flange Plates (Ø 12 mm)</b>                                                              |

## HAWEKA 商品リスト 2025 Ver.1.0

| Part No.                                                                            |             | Description                                                                                                             |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------|
|    | 270 804 003 | Fixed stud, short taper 80 mm long, Ø 24,5 mm<br><b>(recommended standard stud)</b>                                     |
|    | 270 804 014 | Fixed stud, long taper 80 mm long, Ø 25,4 mm                                                                            |
|    | 270 354 000 | Fixed stud 35 mm long, truck, (Japan ), Ø 39,5 mm                                                                       |
|    | 270 904 014 | Fixed stud, long taper 90 mm long, Ø 24,5 mm                                                                            |
|    | 270 994 002 | Fixed stud, rounded head 100 mm long, Porsche, Ø 24,5 mm                                                                |
| <b>Flange Plates (Ø 12 mm) - Car Manufacturers - without fixed studs</b>            |             |                                                                                                                         |
|    | 211e201 xx0 | Flange plate adaptor 4x100/ 5x120, BMW<br>(spring-loaded studs needed 271 994 208)                                      |
|   | 241e304 xx0 | Flange plate adaptor 3x112/ 4x100/114,3 Smart<br>(recomm. stud 271 804 003)                                             |
|  | 251e208 xx0 | Flange plate adaptor 5x112/ 5x120, BMW<br>(spring-loaded studs needed 271 994 208)                                      |
|  | 251e511 xx0 | Flange plate adaptor 5x98/ 108/114,3/118/130 Peugeot/Citroen/Renault (recomm. stud 271 804 003)                         |
|  | 251e510 400 | Flange plate adaptor 5x110/112/114,3/120/130, Tesla<br>(recomm. stud 271 994 003)                                       |
|  | 260e301 xx0 | Flange plate adaptor 6x130 / 6x120 / 6x125, without Studs,<br>Mercedes Benz Sprinter from 01.01.06 / Iveco / VW Crafter |
|  | 251e615 xx0 | Flange plate adaptor 5x105/ 110/ 115/ 118/ 120/ 130 Opel / Chevrolet (without Studs)                                    |
| <b>Single Flange Plates w/o studs (Ø 12mm ) (recomm. stud 271 804 003)</b>          |             |                                                                                                                         |
|  | 231e301 403 | Flange plate adaptor 5x100/ 5x114,3/ 6x139,7<br>(without Studs)                                                         |
|  | 231e401 xx3 | Flange plate adaptor Off Road 5x139,7 /5x165,1 / 6x139,7<br>(without Studs)                                             |
|  | 241e602 xx0 | Flange plate adaptor 4 x 98 / 100 / 108 / 110 / 114.3 / 120<br>(without Studs)                                          |
|  | 251e603 xx0 | Flange plate adaptor 5 x 100 / 108 / 112 / 114,3 / 120 / 130<br>(without Studs)                                         |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                    |
|-------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------|
|                                                                                     |             | <b>Plug-in Studs for Flange Plates (Ø 12 mm)</b>                               |
|    | 271 804 003 | Plug-in stud 80 mm long, short taper, Ø 24,5 mm<br>(recommended standard stud) |
|    | 271 804 014 | Plug-in stud 80 mm long, long taper, Ø 24,5 mm                                 |
|    | 271 904 012 | Plug-in stud 90 mm long, long taper, Ø 24,5 mm                                 |
|   | 271 994 003 | Plug-in stud 100 mm long, short taper, Ø 24,5 mm (Tesla)                       |
|  | 271 994 016 | Plug-in stud 100 mm long, long taper, Ø 22,5 mm                                |
|  | 271 994 025 | Plug-in stud 100 mm long, short taper, Ø 22,5 mm                               |
|  | 271 994 208 | Plug-in stud 100 mm long, <b>spring-loaded</b> , short taper, Ø 24,5 mm        |
|  | 271 008 001 | O-rings for plug-in-stud (Ø 12 mm) (set of 5 pcs.)                             |
|                                                                                     |             | <b>Special Studs for Flange Plates (Ø 12 mm)</b>                               |
|  | 271 124 002 | Plug-in stud 120 mm long, rounded head, Porsche, Ø 24,5 mm                     |
|  | 271 124 009 | Plug-in stud 120 mm long, long taper, Ø 24,5 mm                                |
|  | 271 994 002 | Plug-in stud 100 mm long, rounded head, Porsche, Ø 24,5 mm                     |

## Haweke 商品リスト 2025 Ver.1.0

| Part No.                                                                                                                                            |             | Description                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>QuickPlate series V</b>                                                                                                                          |             |                                                                                                                         |
| <b>QuickPlate</b>                                                                                                                                   |             |                                                                                                                         |
|                                                                    | 210 400 001 | Set of QuickPlates (4-, 5 and 6-holes-plate) incl. wall board                                                           |
|                                                                    | 210 400 005 | Set of QuickPlates (4 and 5-holes-plate) incl. wall board                                                               |
|                                                                    | 249 012 400 | QuickPlate 4-holes with standard heads (4 pcs. 273e008 003)                                                             |
|                                                                    | 259 012 400 | QuickPlate 5-holes with standard heads<br>(5 pcs. 273e008 007 + 5 pcs. 273e008 025)                                     |
|                                                                   | 269 012 400 | QuickPlate 6-holes with standard heads (6 pcs. 273e008 003)                                                             |
| <b>QuickPlate PN Hofmann / JBC / Snap On Powerclamp<br/>Sicam / Bosch / Beissbarth / Nussbaum / ATT / NEXION</b>                                    |             |                                                                                                                         |
|                                                                  | 210 818 001 | Set of QuickPlates (4-, 5-, 6-holes-plate with pneumatic handle) incl. Wall board                                       |
|                                                                  | 249 818 003 | QuickPlate 4-holes for Hofmann with standard heads (4 pcs no. 273e008 003) and pneumatic handle                         |
|                                                                  | 259 818 003 | QuickPlate 5-holes with standard heads (5 pcs 273e008 025 + 5 pcs 273e008 007) and pneumatic handle                     |
|                                                                  | 269 818 003 | QuickPlate 6-holes with standard heads (6 pcs no. 273e008 003) and pneumatic handle                                     |
| <b>QuickPlate PN Tip Top Probalance / Hofmann Megaplan / Beissbarth<br/>07.2023 -&gt; Cemb Ø 40 mm<br/>(for Pneumatic Wheel-Balancing-Machines)</b> |             |                                                                                                                         |
|                                                                  | 210 589 001 | Set of QuickPlates Cemb Ø 40 mm (4-, 5-, 6-holes-plate with pneumatic handle) incl. Wall board                          |
|                                                                  | 249 589 003 | QuickPlate 4-holes for Cemb Ø 40 mm with standard heads (4 pcs no. 273e008 003) and pneumatic handle                    |
|                                                                  | 259 589 003 | QuickPlate 5-holes for Cemb Ø 40 mm with standard heads<br>(5 pcs 273e008 025 + 5 pcs 273e008 007) and pneumatic handle |
|                                                                  | 269 589 003 | QuickPlate 6-holes for Cemb Ø 40 mm with standard heads<br>(6 pcs no. 273e008 003) and pneumatic handle                 |

## HAWEKA 商品リスト 2025 Ver.1.0

| <i>Part No.</i>                                                                     |             | <i>Description</i>                                                                                                                                               |
|-------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Starter-Kit "Cars"</b>                                                           |             |                                                                                                                                                                  |
|    | 210 400 008 | DuoExpert collet #1,#2, #3. QuickPlate 4- a. 5-holes, heads, wall board                                                                                          |
|    | 210 818 008 | DuoExpert collet #1,#2,#3. QuickPlate 4- a. 5-holes, heads, wall board. For electromech. Wheel-Balancing Machines (Hofmann / JBC / Sicam P / NEXION Group (ELS)) |
|    | 210 589 008 | DuoExpert collet #1,#2,#3. QuickPlate 4- a. 5-holes, heads, wall board. For pneumatic Wheel-Balancing Mashines (TipTop / Cemb)                                   |
| <b>Heads</b>                                                                        |             |                                                                                                                                                                  |
|  | 273e008 003 | Head, short taper, length head 38 mm , Ø 24,5 mm                                                                                                                 |
|  | 273e008 007 | Head, rounded, length head 48 mm , Ø 24,5 mm                                                                                                                     |
|  | 273e008 009 | Head, Range-, Landrover, length head 38 mm, Ø 34 mm                                                                                                              |
|  | 273e008 023 | Head, long taper, length head 55,6 mm, Ø 19,0 mm                                                                                                                 |
|  | 273e008 025 | Head, long taper, length head 58 mm, Ø 22,5 mm                                                                                                                   |
|  | 273e008 028 | Head, long taper, length head 73 mm, Ø 22,5 mm                                                                                                                   |
|  | 273e008 029 | Head, rounded, length head 78 mm , Ø 24,5 mm                                                                                                                     |
| <b>Spare Parts for QuickPlate</b>                                                   |             |                                                                                                                                                                  |
|  | 200e008 027 | Excence unit + basic bolts for Quickplate Series III + IV                                                                                                        |



## Haweke 商品リスト 2025 Ver.1.0

| Part No.                                                                           |             | Description                      |
|------------------------------------------------------------------------------------|-------------|----------------------------------|
| <b>Special Adaptor Kits</b><br><b>- automotive manufacturer -</b>                  |             |                                  |
|  |             |                                  |
| <b>Quad / ATV</b>                                                                  | 280 400 055 | Centering kit for Quad-rims      |
| <b>VW Crafter<br/>MB Sprinter</b>                                                  | 280 400 061 | Light Truck for dual wheels      |
| <b>L-Lkw<br/>VW / Mercedes</b>                                                     | 280 400 064 | Centering kit                    |
| <b>Off Road</b>                                                                    | 280 400 073 | Centering kit                    |
| <b>Porsche</b>                                                                     | 280 400 076 | Centering kit for central locker |
| <b>Mercedes<br/>Pkw / Lkw</b>                                                      | 280 400 078 | Centering kit                    |
| <b>Renault<br/>Dacia</b>                                                           | 280 400 079 | Centering kit                    |
| <b>Opel</b>                                                                        | 280 400 080 | Centering kit                    |
| <b>Mercedes Pkw<br/>Smart</b>                                                      | 280 400 081 | Centering kit                    |
| <b>Alfa Romeo<br/>Lancia</b>                                                       | 280 400 085 | Centering kit                    |
| <b>Chrysler</b>                                                                    | 280 400 086 | Centering kit                    |
| <b>Peugeot<br/>Citroen</b>                                                         | 280 400 087 | Centering kit                    |
| <b>Ferrari</b>                                                                     | 280 400 089 | Centering kit                    |
| <b>Fiat</b>                                                                        | 280 400 090 | Centering kit                    |
| <b>Ford (EU)</b>                                                                   | 280 400 091 | Centering kit                    |
| <b>Hyundai</b>                                                                     | 280 400 093 | Centering kit                    |
| <b>Kia</b>                                                                         | 280 400 095 | Centering kit                    |
| <b>Lamborghini (VW)</b>                                                            | 280 400 096 | Centering kit                    |



## Haweke 商品リスト 2025 Ver.1.0

|                                   | <i>Part No.</i> | <i>Description</i>                                            |
|-----------------------------------|-----------------|---------------------------------------------------------------|
| <b>Maserati</b>                   | 280 400 097     | Centering kit                                                 |
| <b>Mitsubishi</b>                 | 280 400 098     | Centering kit                                                 |
| <b>Mazda</b>                      | 280 400 099     | Centering kit                                                 |
| <b>Saab<br/>Volvo</b>             | 280 400 102     | Centering kit                                                 |
| <b>Suzuki</b>                     | 280 400 104     | Centering kit                                                 |
| <b>Porsche</b>                    | 280 400 106     | Centering kit 5 x 130 mm                                      |
| <b>Nissan<br/>Infiniti</b>        | 280 400 107     | Centering kit                                                 |
| <b>BMW / Mini<br/>Rolls-Royce</b> | 280 400 119     | Centering Kit BMW 4x100/5x120 + 5x112/120                     |
| <b>VW Crafter<br/>MB Sprinter</b> | 280 400 122     | Centering MB Sprinter / VW Crafter<br>standard and dual tires |
| <b>Honda</b>                      | 280 400 124     | Centering kit                                                 |
| <b>Jaguar</b>                     | 280 400 125     | Centering kit                                                 |
| <b>Land Rover</b>                 | 280 400 126     | Centering kit                                                 |
| <b>Subaru</b>                     | 280 400 128     | Centering kit                                                 |
| <b>Toyota<br/>Lexus</b>           | 280 400 129     | Centering kit                                                 |
| <b>VW<br/>Audi</b>                | 280 400 130     | Centering kit PROFI                                           |
| <b>VW<br/>Audi</b>                | 280 400 131     | Centering kit ECO                                             |
| <b>Skoda</b>                      | 280 400 137     | Centering kit                                                 |
| <b>Renault<br/>Alaskan</b>        | 280 400 150     | Centering kit                                                 |
| <b>L-Lkw<br/>"Universal"</b>      | 280 400 151     | Light Truck for dual wheels                                   |


**HAWEKA 商品リスト 2025 Ver.1.0**

| <b>Part No.</b>                                                                     |             | <b>Description</b>                                                                                                             |
|-------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Reducing Sleeves</b>                                                             |             |                                                                                                                                |
|    | 290 280 021 | Reducing sleeve 40 mm to 28,56 mm<br>for QuickPlate / WorldKit II                                                              |
|    | 290 360 021 | Reducing sleeve 40 mm to 36 mm<br>for QuickPlate / WorldKit II                                                                 |
|    | 290 380 021 | Reducing sleeve 40 mm to 38 mm<br>for QuickPlate / WorldKit II                                                                 |
| <b>UniLug / Series</b>                                                              |             |                                                                                                                                |
| <b>UniLug Series 405<br/>(incl. 3 Centering rings, 58 ,60, 65 mm)</b>               |             |                                                                                                                                |
|    | 405 280 108 | UniLug for machines with 28,56 mm shaft, Mondolfo (<2005),<br>John Bean/Hofmann (> 2014), US-Market                            |
|    | 405 360 108 | UniLug for machines with 36 mm shaft, Cemb, Ravaglioli                                                                         |
|   | 405 380 108 | UniLug for machines with 38 mm shaft, Corgi, Faip, Sice, HPA, Toyo Seiki<br>incl. Spacer 405e008 004                           |
|  | 405 381 108 | UniLug for machines with 38 mm shaft, Fasep                                                                                    |
|  | 405 400 108 | UniLug for machines with 40 mm shaft, TipTop, Cemb, Ravaglioli, Cormach,<br>Bright, US-Market, Mondolfo (2005/06), Hunter 9200 |
|  | 405 401 108 | UniLug for machines with 40 mm shaft, Corgi, HPA, Teco,<br>Mondolfo ( from 2007) incl. Spacer 405e008 004                      |
|  | 405 818 108 | UniLug for machines with conical shaft, Beissbarth,<br>Sicam, Facom, Hofmann (<2014) + Powerclamp, Schenck / Nussbaum / ATT    |
|  | 803e008 055 | Screw adapter M22x1.5 for Fasep with Ø 40mm shaft                                                                              |
|  | 405e008 004 | UniLug Spacer for Corgi, Faip, Sice, HPA, Mondolfo<br>TECO                                                                     |
|  | 405e280 001 | UniLug Adaptor ring Ø 28,56 mm                                                                                                 |
|  | 405e360 001 | UniLug Adaptor ring Ø 36 mm                                                                                                    |
|  | 405e380 001 | UniLug Adaptor ring Ø 38 mm                                                                                                    |
|  | 405e400 001 | UniLug Adaptor ring Ø 40 mm                                                                                                    |
| <b>Centering Rings series 405</b>                                                   |             |                                                                                                                                |

**Haweke 商品リスト 2025 Ver.1.0**

|                                                                                     | <b>Part No.</b> | <b>Description</b>                                              |
|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------|
|    | 405e009 001     | Centering ring 58 mm                                            |
|    | 405e009 002     | Centering ring 60 mm                                            |
|    | 405e009 004     | Centering ring 65 mm                                            |
| <b>Spare Parts for UniLug Series 400 and 405</b>                                    |                 |                                                                 |
|    | 405e008 006     | Control disc UniLug II (plastic)                                |
|    | 400e008 021     | Complete lug for UniLug (series 405)                            |
|    | 400e008 050     | Fit screw UniLug II (serie 405) height of head 3,2 mm           |
|  | 400e008 027     | Knurled nut for lug 400e008 041                                 |
|  | 400e008 041     | Complete lug for UniLug series 400, conical<br>>>> sale <<<     |
|  | 490 008 000     | PCD tool for UniLug 4 / 5 / 6- hole rim                         |
|  | 490 008 002     | PCD measuring tool 4 / 5 / 6- hole rim                          |
| <b>Nuts and Fixcones</b>                                                            |                 |                                                                 |
|  | 040 100 001     | Set of fixcones (5 pieces) M10x1,25 mm (Haweke)                 |
|  | 040 100 002     | Set of fixcones (5 pieces) M10x1,5 mm (Corgi/Cemb)              |
|  | 040 100 003     | Single Fixcone M10x1,25 mm (Haweke)                             |
|  | 040 100 004     | Single Fixcone M10x1,5 mm (Corgi/Cemb)                          |
|  | 040 100 102     | Fastening nut M10x1,25 mm round and cone head (Haweke) (1 pcs.) |
|  | 040 100 112     | Fastening nut M10x1,25 mm extra long, round head                |


## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                                 |
|-------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------|
|    | 040e008 004 | Pressure piece for fixcone round head                                                       |
|    | 040e008 005 | Pressure piece for fixcone conical                                                          |
| <b>Truck Clamping Devices</b>                                                       |             |                                                                                             |
| <b>Truck Adaptors - Kits</b>                                                        |             |                                                                                             |
|    | 700 400 211 | Truck Adapter Kit Ø 40 mm 19.5" / 22.5" Europe<br>Beissbarth, Cemb, Hofmann                 |
|    | 700 400 213 | Truck Adapter Kit Ø 40 mm 19.5" / 22.5" Europe<br>Hunter                                    |
|    | 700 818 172 | Truck adaptor kit Hofmann / JBC, conical Tr 40x4                                            |
|   | 700 905 174 | Truck adaptor kit Corgi , Faip, Sice, Mondolfo, Teco (Tr 46x6)                              |
|  | 702 818 172 | Truck/light truck adaptor kit for balancers with conical interface Tr 40x4                  |
|  | 705 589 172 | Truck/light truck adaptor kit Cemb, Hofmann, JBC, Ravaglioli, Cormach Tr 40x4               |
| <b>Truck Adaptors - Spare parts</b>                                                 |             |                                                                                             |
|  | 700 008 003 | Centering Bolt & Nut Truck (standard)                                                       |
|  | 700 008 004 | Centering Bolt & Nut Truck (Dynaf)                                                          |
|  | 700 008 037 | Centering Bolt & Nut Truck (IFA)                                                            |
|  | 700 008 006 | Centering Bolt & Nut Truck (Alloy wheels)                                                   |
|  | 700 008 013 | Centering Bolt & Nut Truck (3 arm star Far East Ø 12 mm)                                    |
|  | 700 008 018 | Centering Bolt & Nut Truck (3 arm star Europe Ø 12 mm)                                      |
|  | 700 008 025 | Centering Bolt & Nut Light Truck (3 arm star Europe)<br>MB Sprinter / CW Crafter new        |
|  | 700 008 030 | Centering Bolt & Nut Light Truck (3 arm star Europe)<br>MB Sprinter / CW Crafter new - long |

## HAWEKA 商品リスト 2025 Ver.1.0

|                                                                                     | <i>Part No.</i> | <i>Description</i>                                                         |
|-------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------|
|    | 700 400 039     | 5-arm clamping star truck standard<br>PCD: 225 / 285,75 (11,25") / 335 mm  |
|    | 700 400 040     | 4-arm clamping star truck standard<br>PCD: 275 / 285 mm                    |
|    | 700 400 021     | 3-arm clamping star truck<br>PCD:170 / 184,15 / 200 / 205 / 222,25 / 245   |
|   | 700e618 012     | Basic truck adaptor Hunter Ø 40 mm                                         |
|  | 700e905 012     | Basic truck adaptor Corghi/Faip/Sice Ø 46 mm                               |
|  | 700e958 012     | Basic truck adaptor II John Bean/Hofmann, Sicam, Cemb, Beissbarth, Ø 40 mm |
|  | 70Be958 007     | Truck Centering ring 220.8 mm                                              |
|  | 70Be958 008     | Truck Centering ring 219.9 mm                                              |
|  | 700e798 009     | Truck Centering ring 202 mm                                                |
|  | 700 818 181     | Truck Centering-Kit 19,5"<br>MB Atego / Iveco Eurocargo                    |
|  | 700 818 182     | Truck Centering-Kit 17,5"<br>Adapterkit MB Atego                           |

## Haweke 商品リスト 2025 Ver.1.0


| <i>Part No.</i>                                                                                              |             | <i>Description</i>                                                            |
|--------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------|
| <b>Motorcycle Clamping Devices ProBike</b>                                                                   |             |                                                                               |
| <b>Motorcycle Clamping Device ProBike III series 815</b>                                                     |             |                                                                               |
|                             | 815 818 010 | ProBike III Modul Uni (conical) + Wall Board 900 008 142 (Hofmann PowerClamp) |
|                             | 815 281 010 | ProBike III Modul Uni (cylindrical 28mm) + Wall Board                         |
|                             | 815 361 010 | ProBike III Modul Uni (cylindrical 36mm) + Wall Board                         |
|                             | 815 381 010 | ProBike III Modul Uni (cylindrical 38mm) + Wall Board                         |
|                             | 815 401 010 | ProBike III Modul Uni (cylindrical 40mm) + Wall Board                         |
|                            | 815 401 024 | ProBike III Modul Uni (cylindrical 40mm Fasep 2010-) + Wall Board             |
| <b>ProBike III - Upgrade kits</b>                                                                            |             |                                                                               |
|                                                                                                              | 815 008 002 | ProBike III Upgrade 19mm Shaft, QuickFix, Sleeves, Wall Board 900 008 143     |
|                                                                                                              | 815 008 003 | ProBike III Upgrade Profi / 19mm mono-lever                                   |
| <b>Spares and accessories Motorcycle adaptors</b>                                                            |             |                                                                               |
|                                                                                                              | 840e100 001 | Knurled nut M10 motorcycle shafts 10 and 12 mm                                |
|                           | 840e140 001 | Knurled nut M14 motorcycle shafts 14 mm or more                               |
|                           | 890 140 001 | Quick Fix for 14 mm shaft                                                     |
|                           | 890 190 001 | Quick Fix for 19 mm shaft                                                     |
| <b>Spares and Accessories Motorcycle Adaptors Series 815</b>                                                 |             |                                                                               |
|  | 803e999 003 | Chuck conical ProBike 815 and Hofm. Geodyna"P" incl. screw                    |
|                           | 803e008 041 | Chuck cylindrical ø28,57 ProBike 815 L=60,5mm, incl. Screw                    |

**HAWEKA 商品リスト 2025 Ver.1.0**

|                                                                                     | <b>Part No.</b>    | <b>Description</b>                                                                                              |
|-------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------|
|    | 803e008 042        | Chuck cylindrical ø36 ProBike 815 L=60,5mm, incl. Screw                                                         |
|    | 803e008 043        | Chuck cylindrical ø38 ProBike 815 L=60,5mm, incl. Screw                                                         |
|    | 803e008 044        | Chuck cylindrical ø40 ProBike 815 L=60,5mm, incl. Screw                                                         |
|    | 803e008 027        | Set of cantilevers (2 pcs.) - complete replacement set 815                                                      |
|    | DU GA<br>150252250 | Gas pressure spring series 815 (250 N)                                                                          |
|    | 870 012 140        | 14 mm Centering shaft, gripping length 270 mm                                                                   |
|   | 870 012 141        | 14 mm Centering shaft, gripping length 329 mm                                                                   |
|  | 870 012 190        | 19 mm Centering shaft, gripping length 300 mm                                                                   |
|  | 870 012 191        | 19 mm Centering shaft, gripping length 365 mm                                                                   |
| <b>Spares and Accessories Motorcycle Adaptors<br/>ProBike II Series 805</b>         |                    |                                                                                                                 |
|  | 800e999 004        | Chuck for ProBike base plate, conical >>> sale <<<                                                              |
|  | 803e008 003        | Chuck for ProBike base plate, Ø 28,56 mm >>> sale <<<                                                           |
|  | 803e008 006        | Chuck for ProBike base plate, Ø 36 mm >>> sale <<<                                                              |
|  | 803e008 007        | Chuck for ProBike base plate, Ø 38 mm >>> sale <<<                                                              |
|  | 803e008 008        | Chuck for ProBike base plate, Ø 40 mm >>> sale <<<                                                              |
|  | 803e008 015        | Chuck for ProBike base plate, Ø 40 mm, long Version<br>Corgi, Mondolfo, Teco, HPA from 01/07, Sice >>> sale <<< |
|  | 803e008 055        | Screw adapter M22x1.5 for Fasep with Ø 40 mm shaft                                                              |



## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.           | Description                                                                                 |
|-------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|    | 803e008 030        | ProBike base plate, complete                                                                |
|    | 803e008 010        | Set of cantilevers (2 pcs.) - complete replacement set<br>>>> sale <<<                      |
|    | DU GA<br>150209350 | Gas pressure spring series 805 (350 N)                                                      |
| <b>Spare Parts Series 802 + 805</b>                                                 |                    |                                                                                             |
|    | 850e190 007        | Polyamid pressure piece (19 mm axle)                                                        |
|    | 850 140 006        | Set of centering cones 16 - 45 mm (14 mm axle)                                              |
|   | 850e140 001        | Centering cone 14,2 - 30 mm (14 mm axle)                                                    |
|  | 860 008 007        | Set of centering sleeves 15-28 mm, (14 mm axle)                                             |
|  | 860 008 008        | Set of spezial centering sleeves w/o 19 mm shaft                                            |
|  | 860 008 009        | Centering Kit BMW incl. 2 Sleeves and pressure pieces<br>for BMW rear wheels with monolever |
|  | 860 140 015        | Centering kit BMW (< 2005) Sleeve and pressure piece<br>for Ø 14mm shaft                    |
|  | 860 190 026        | Centering kit KAWASAKI H2 rear wheel (from year 2015)                                       |
|  | 860 140 150        | Set of centering sleeves 15 mm (14 mm axle)                                                 |
|  | 860 140 160        | Set of centering sleeves 16 mm (14 mm axle)                                                 |
|  | 860 140 170        | Set of centering sleeves 17 mm (14 mm axle)                                                 |
|  | 860 140 190        | Set of centering sleeves 19 mm (14 mm axle)                                                 |
|  | 860 140 200        | Set of centering sleeves 20 mm (14 mm axle)                                                 |



## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | Part No.    | Description                                                                                   |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------|
|    | 860 140 220 | Set of centering sleeves 22 mm (14 mm axle)                                                   |
|    | 860 140 250 | Set of centering sleeves 25 mm (14 mm axle)                                                   |
|    | 860 140 261 | Set of centering sleeves 26 mm (14 mm axle)                                                   |
|    | 860 140 280 | Set of centering sleeves 28 mm (14 mm axle)                                                   |
|    | 860 140 300 | Set of centering sleeves 30 mm (14 mm axle)                                                   |
|   | 860 190 007 | Adaptor kit HARLEY DAVIDSON (19 mm axle)                                                      |
|  | 860 190 009 | Adaptor kit SUZUKI GSX R centering sleeves 25, 28, 32 mm (19 mm axle)                         |
|  | 860 190 012 | Adaptor kit Aprilia RST Futura, BMW F 650 CS (19 mm axle)                                     |
|  | 860 190 014 | Adaptor kit Harley Davidson V Rod (19 mm axle) Ø 25,4 mm                                      |
|  | 860 190 020 | Centering kit BMW (> 2005) + R 1200 GS ,<br>Centering Sleeve, pressure piece for Ø 19mm shaft |
|  | 860 190 220 | Set of centering sleeves 22 mm (19mm axle)                                                    |
|  | 860 190 250 | Set of centering sleeves 25 mm (19mm axle)                                                    |
|  | 860 190 261 | Set of centering sleeves 26 mm (19mm axle)                                                    |
|  | 860 190 280 | Set of centering sleeves 28 mm (19mm axle)                                                    |
|  | 860 190 300 | Set of centering sleeves 30 mm (19mm axle)                                                    |

## Haweke 商品リスト 2025 Ver.1.0

| <i>Part No.</i>                                                                     |             | <i>Description</i>                                                                     |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------|
|    | 860 190 320 | Set of centering sleeves 32 mm (19mm axle)                                             |
|    | 860 190 350 | Set of centering sleeves 35 mm (19mm axle)                                             |
|    | 860e120 002 | Spacer, short, 12 mm inside diameter                                                   |
|    | 860e140 015 | Centering Sleeve BMW 14 mm for real wheels (monolever) (<2005) w/o R1200 GS            |
|    | 860e140 006 | Polyamid pressure piece Honda/BMW (14 mm axle)                                         |
|    | 860e140 460 | Centering sleeve for diverse Piaggio / Vespa (14 mm axle)                              |
|   | 860e150 002 | Spacer, short, 15 mm inside diameter                                                   |
|  | 860e180 002 | Spacer, short, 18 mm inside diameter                                                   |
|  | 860e190 004 | Adaptor for all Ducati monolever, (19 mm axle)                                         |
|  | 860e190 018 | Adaptor HONDA: NTV 650, Goldwing 1800 (19 mm axle)                                     |
|  | 860e190 011 | Centering sleeve MV Agusta Backwheel / Honda VFR 800 (19 mm axle)                      |
|  | 860e190 012 | Centering sleeve Aprilia / BMW / Yamaha (19 mm axle)                                   |
|  | 860e190 020 | Centering disk BMW monolever (2005 <) and R1200 GS                                     |
|  | 860e190 022 | Centering sleeve TRIUMPH (>= 2011) und KTM                                             |
|  | 860e190 024 | Centering Sleeve TRIUMPH, HONDA VFR 1200 (from 2010)                                   |
|  | 860e190 025 | Centering sleeve HONDA VFR 1200X (19 mm axle)                                          |
|  | 860e190 027 | Centering sleeve Triumph Speed Triple 1200 RS ab Bj. 2021 / Triumph Rocket3 ab BJ.2022 |

**HAWEKA 商品リスト 2025 Ver.1.0**

| <b>Part No.</b>                                                                     |                   | <b>Description</b>                                                                        |
|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------|
|    | 860e200 002       | Spacer, short, 20 mm inside diameter                                                      |
|    | 860e250 002       | Spacer, short, 25 mm inside diameter                                                      |
|    | 860e280 002       | Spacer, short, 28 mm inside diameter                                                      |
|    | 990e008 001       | Face spanner for Serie 802/805 Centering Shafts                                           |
|    | D0<br>1810 B58062 | Hook key for series 815 knurled nut waves fastening                                       |
| <b>Centering Shafts for MWCD Series 805 280 000 - 805 400 000</b>                   |                   |                                                                                           |
|  | 870 010 120       | 12 mm centering shaft for MWCD, gripping length 193 mm<br>>>>Residual sale <<<            |
|  | 870 010 140       | 14 mm centering shaft for MWCD, gripping length 233 mm<br>>>>Residual sale <<<            |
|  | 870 010 141       | 14 mm centering shaft for MWCD, special gripping length 318 mm<br>>>>Residual sale <<<    |
|  | 870 010 190       | 19 mm centering shaft for MWCD, gripping length 270 mm<br>>>>Residual sale <<<            |
|  | 870 010 191       | 19 mm centering shaft for MWCD, gripping length 365 mm<br>>>>Residual sale <<<            |
| <b>Centering Shafts MWCD Hofmann Power Clamp Series 805</b>                         |                   |                                                                                           |
|  | 870 995 140       | 14 mm centering shaft for MWCD Power Clamp, gripping length 253 mm >>>Residual sale <<<   |
|  | 870 995 190       | 19 mm centering shaft for MWCD Power Clamp, gripping length 270 mm >>>Residual sale <<<   |
| <b>Centering Shafts MWCD - Conical Series 805</b>                                   |                   |                                                                                           |
|  | 870 997 140       | 14 mm centering shaft for MWCD conical shaft, gripping length 233 mm >>>Residual sale <<< |

## Haweke 商品リスト 2025 Ver.1.0

|                                                                                     | <i>Part No.</i> | <i>Description</i>                                                                                |
|-------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------|
|    | 870 997 141     | 14 mm centering shaft for MWCD conical shaft, special gripping length 302 mm >>>Residual sale <<< |
|    | 870 997 190     | 19 mm centering shaft for MWCD conical shaft, gripping length 270 mm >>>Residual sale <<<         |
|    | 870 997 191     | 19 mm centering shaft for MWCD conical shaft, gripping length 365 mm >>>Residual sale <<<         |
|                                                                                     |                 | <b>Workshop Equipment</b>                                                                         |
|                                                                                     |                 | <b>Lifting Device</b>                                                                             |
|    | 916 000 017     | AirgoLift II, wheel lifting device for balancers                                                  |
|    | 916 001 127     | AirgoLift conversion kit Hofmann                                                                  |
|   | 916 001 128     | AirgoLift conversion kit Hunter                                                                   |
|  | 916 001 164     | Spare Parts for AirgoLift roller wheel                                                            |
|                                                                                     |                 | <b>General Accessories</b>                                                                        |
|  | 900 008 027     | Run-out measuring device with splitting 1,0 mm                                                    |
|  | 900 008 030     | Balancing model                                                                                   |
|  | 900 008 074     | Plug gauge 28 / 36 mm                                                                             |
|  | 900 008 075     | Plug gauge 38 / 40 mm                                                                             |
|  | 900 008 076     | Set of plug gauges and measuring forks                                                            |
|  | 900 008 103     | Shaft gauge (to check the shaft diameter) 28 / 36 mm                                              |
|  | 900 008 104     | Shaft gauge (to check the shaft diameter) 38 / 40 mm                                              |
|  | 900 008 128     | Flange Plate Storage Facility "Trolley" with perforated plate and 40 mm Ø pins                    |



株式会社モナーク

## HAWEKA 商品リスト 2025 Ver.1.0

|                                                                                     | <i>Part No.</i> | <i>Description</i>                                                    |
|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------|
|    | 900 008 232     | Wall Board "Off Road"                                                 |
|    | 900 008 142     | Wall Board ProBike II + III "Standard"                                |
|  | 900 008 143     | Wall Board ProBike II + III "Profi"                                   |
|  | 900 008 230     | Wall Board QuickPlate                                                 |
|  | 900 008 231     | Wall Board WorldKit II                                                |
|  | 900 008 148     | Testing Device for Wheel Balancers in suitcase                        |
|  | 900e008 011     | Dial gauge 1mm graduation incl. scanning small wheel                  |
|  | 900e008 190     | Wall Board Stand incl. assembling material (wall boards not included) |